



Patient Consent for a Medical Procedure

Off Label TMS Treatment

This is a patient consent for a medical procedure called TMS Treatment. This consent form outlines the treatment that your doctor has prescribed for you or you have chosen to pursue, the risks of this treatment, the potential benefits of this treatment to you, and any alternative treatments that are available for you if you decide not to be treated with TMS Treatment.

The information contained in this consent form is also described in the Depression Patient's Manual for Transcranial Magnetic Stimulation with the TMS Treatment which is available from TMS Center of Colorado, LLC. Not all information in the Manual is stated here, so you should read the Patient Manual and discuss any questions that you have with your doctor or TMS Center of Colorado, LLC staff. Once you have reviewed the manual and this consent form, be sure to ask your doctor or TMS Center of Colorado, LLC any questions that you may have about TMS Treatment.

TMS Center of Colorado, LLC has explained the following information to me:

- a. TMS stands for "Transcranial Magnetic Stimulation". TMS Treatment is a medical procedure. A TMS treatment session is conducted using a device called the TMS Treatment System, which provides electrical energy to a "treatment coil" or magnet that delivers pulsed magnetic fields. These magnetic fields are the same type and strength as those used in magnetic resonance imaging (MRI) machines.
- b. TMS Treatment is a safe and effective treatment for patients with depression who have not benefitted from antidepressant medications.
- c. Specifically, TMS Treatment has been shown to relieve depression symptoms in adult patients who have been treated with one antidepressant medication given at a high enough dose and for a long enough period of time but did not get better.
- d. At this time, there are no studies that show that TMS Treatment works for patients who did not get better after taking two or more antidepressant medications at a high enough dose and for a long enough period of time or who did not take any antidepressants during this current period of depression.
- e. During a TMS treatment session, the doctor or a member of their staff will place the magnetic coil gently against my scalp on the left front region of my head. The magnetic fields that are produced by the magnetic coil are pointed at a region of the brain that scientists think may be responsible for causing depression.
- f. To administer the treatment, the doctor or a member of their staff will first position my head in the head support system. Next, the magnetic coil will be placed on the left side of my head, and I will hear a clicking sound and feel a tapping sensation on my scalp. The doctor will then adjust the TMS Treatment system so that the device will give just enough energy to send



electromagnetic pulses into the brain so that my right hand twitches. The amount of energy required to make my hand twitch is called the “motor threshold”. Everyone has a different motor threshold and the treatments are given at an energy level that is just above my individual motor threshold. How often my motor threshold will be re-evaluated will be determined by my doctor.

- g. Once motor threshold is determined, the magnetic coil will be moved, and I will receive the treatment as a series of “pulses”, with a “rest” period of about 20 seconds between each series. Treatment is to the left front side of my head and will take about 20-45 minutes. I understand that this treatment does not involve any anesthesia or sedation and that I will remain awake and alert during the treatment. I will initially receive these treatments 5 times a week for 4 weeks (20 treatments) and I understand that additional treatments may be required in order to achieve maximum response. The treatment is designed to relieve my current symptoms of depression.
- h. During the treatment, I may experience tapping or painful sensations at the treatment site while the magnetic coil is turned on. These types of sensations were reported by about one third of the patients who participated in the research studies. I understand that I should inform the doctor or his/her staff if this occurs. The doctor may then adjust the dose or make changes to where the coil is placed in order to help make the procedure more comfortable for me. I also understand that headaches were reported in half of the patients who participated in the clinical trial for the device. I understand that both discomfort and headaches got better over time in the research studies and that I may take common over-the-counter pain medications such as acetaminophen if a headache occurs.
- i. The following risks are also involved with this treatment:

The TMS Treatment System should not be used by anyone who has magnetic-sensitive metal in their head or within 12 inches of the magnetic coil that cannot be removed. Failure to follow this restriction could result in serious injury or death. Objects that may have this kind of metal include:

- Aneurysm clips or coils
 - Stents
 - Implanted Stimulators
 - Electrodes to monitor your brain activity
 - Ferromagnetic implants in your ears or eyes
 - Bullet fragments
 - Other metal devices or objects implanted in the head.
- j. TMS Treatment is not effective for all patients with depression. Any signs or symptoms of worsening depression should be reported immediately to your doctor and/or the TMS Center of Colorado, LLC staff. You may want to ask a family member or caregiver to monitor your symptoms to help you spot any signs of worsening depression.
 - k. Seizures (sometimes called convulsions or fits) have been reported with the use of other types of TMS devices. However, no seizures were observed with use of the TMS Treatment system in over 10,000 patient treatment sessions.



- l. Because the TMS Treatment system produces a loud click with each magnetic pulse I understand that I must wear earplugs or similar hearing protection devices with a rating of 30dB or higher of noise reduction during treatment.
- m. I understand that most patients who benefit from TMS Treatment experience results by the fourth week of treatment. Some patients may experience results in less time while others may take longer.
- n. I understand that I may discontinue treatment at any time.

I have read the information contained in this Medical Procedure Consent Form about TMS Treatment and its potential risks. I have discussed it with TMS Center of Colorado, LLC staff who has answered all of my questions. I understand there are other treatment options for my condition available to me and this has also been discussed with me. I understand that TMS is currently approved for depression, however, the goal of my treatment would be for off-label indications and this has been explained to me.

I, therefore, permit TMS Center of Colorado, LLC and its staff to administer this treatment to me.

Patient Name (Print)

Signature

Witness

Date